


# 1D Oxide Nanostructures Obtained by Sol-Gel and Hydrothermal Methods (SpringerBriefs in Materials)



This book presents wet chemical sol-gel and hydrothermal methods for 1D oxide nanostructure preparation. These methods represent an attractive route to multifunctional nanomaterials synthesis, as they are versatile, inexpensive and, thus, appropriate for obtaining a wide range of oxide materials with tailored morphology and properties. Three specific oxides ( $\text{SiO}_2$ ,  $\text{TiO}_2$ ,  $\text{ZnO}$ ) are discussed in detail in order to illustrate the principle of the sol-gel and hydrothermal preparation of 1D oxide nanostructures. Other oxides synthesized via this method are also briefly presented. Throughout the book, the correlation between the tubular structure and the physico-chemical properties of these materials is highlighted. 1D oxide nanostructures exhibit interesting optical and electrical properties, due to their confined morphology. In addition, a well-defined geometry can be associated with chemically active species. For example, the pure  $\text{SiO}_2$  nanotubes presented a slight photocatalytic activity, while the Pt-doped  $\text{SiO}_2$  tubular materials act as microreactors in catalytic reactions. In the case of titania and titanate nanotubes, large specific surface area and pore volume, ion-exchange ability, enhanced light absorption, and fast electron-transport capability have attracted significant research interest. The chemical and physical modifications (microwave assisted hydrothermal methods) discussed here improve the formation kinetics of the nanotubes. The  $\text{ZnO}$  nanorods/tubes were prepared as random particles or as large areas of small, oriented 1D  $\text{ZnO}$  nanostructures on a variety of substrates. In the latter case a sol-gel layer is deposited on the substrate prior to the hydrothermal preparation. Using appropriate dopants, coatings of  $\text{ZnO}$  nanorods with controlled electrical behavior can be obtained.



**1D Oxide Nanostructures Obtained by Sol-Gel and Hydrothermal** SpringerBriefs in Materials. Free Preview. 2016.  
1D Oxide Nanostructures Obtained by Sol-Gel and Hydrothermal Methods. Authors: Anastasescu, C., Mihaiu, **1D  
Oxide Nanostructures Obtained by Sol-Gel and Hydrothermal** - Buy 1D Oxide Nanostructures Obtained by  
Sol-Gel and Hydrothermal Methods (SpringerBriefs in Materials) book online at best prices in India on **1D Oxide  
Nanostructures Obtained by Sol-Gel and Hydrothermal** loading more pages. Retrying  
EBOOK-3319329863-1D-Oxide-Nanostructures-Obtained- .